

Material Safety Data Sheet

Material Name: TALC

ID: MSDS-TALC

***** Section 1 - Chemical Product and Company Identification *******Chemical Name:** Magnesium Silicate Hydrate**Product Use:** Mineral Additive**Synonyms:** CIMTUFF® 9100 Series Talc, CIMTALC® 9600 Series Talc, CLEAR-BLOC 80® Talc Series, FLEXTALC® Talc Series, MV600 Series Talc, Textile Talc, ELITETALC® Talc 2000 USP, ELITETALC® Talc 3000 USP, ELITETALC® Talc 4000 USP, ELITETALC® Talc 5000 USP, ELITETALC® Body Powder Talc**Manufacturer Information**CIMBAR Performance Minerals
49-0 Jackson Lake Rd.
Chatsworth, Ga. 30705

Phone: 1-800-852-6868

***** Section 2 - Composition / Information on Ingredients *****

CAS #	Component	Percent (wt/wt)
14807-96-6	Talc	60-100
1318-59-8	Chlorite-group minerals	1-5
14808-60-7	Quartz	0.1-1.0

Component Related Regulatory Information

This product may be regulated, have exposure limits or other information identified as the following: Silica, crystalline (general form).

Component Information

This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

***** Section 3 - Hazards Identification *******Emergency Overview**

This product is irritating to the eyes, respiratory system and skin.

Potential Health Effects: Eyes

Dust or powder may irritate eye tissue.

Potential Health Effects: Skin

Dust or powder may irritate the skin.

Potential Health Effects: Ingestion

May cause temporary irritation of the throat, stomach, and gastrointestinal tract.

Potential Health Effects: Inhalation

Long-term excessive exposures may cause Talcosis, a pulmonary fibrosis, which in turn may lead to severe and permanent damage to the lungs. **WARNING:** This product contains crystalline silica. Long-term overexposure to crystalline silica causes silicosis, a form of pulmonary fibrosis. Continued overexposure to silica can lead to cardiopulmonary impairment. Crystalline silica has been reviewed by IARC. IARC found sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz or cristobalite from occupational sources.

Medical Conditions Aggravated by Exposure

No information available for the product.

Potential Environmental Effects

No significant environmental effects.

HMS Ratings: Health: 1* Fire: 0 Reactivity: 0 Pers. Prot.: E

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

Material Safety Data Sheet

Material Name: TALC

ID: MSDS-TALC

***** Section 4 - First Aid Measures *******First Aid: Eyes**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

First Aid: Skin

For skin contact, wash immediately with soap and water.

First Aid: Ingestion

Product is not considered toxic in small amounts.

First Aid: Inhalation

Move person to non-contaminated air.

First Aid: Notes to Physician

Provide general supportive measures and treat symptomatically.

***** Section 5 - Fire Fighting Measures *******General Fire Hazards**

This material will not burn.

Hazardous Combustion Products

None identified.

Extinguishing Media

Use methods for the surrounding fire.

Fire Fighting Equipment/Instructions

None necessary.

NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

***** Section 6 - Accidental Release Measures *******Containment Procedures**

Contain the discharged material.

Clean-Up Procedures

Provide adequate ventilation. Cleanup personnel should use personal protective equipment to reduce eye contact, inhalation of dust, and prolonged skin contact. Use vacuum equipment with HEPA filters or wet sweeping/dust suppressant if sweeping is required. Personal safety, handling and exposure recommendations described elsewhere in this data sheet apply to exposure during clean up of spilled material and must be followed.

Evacuation Procedures

None necessary.

Special Procedures

No additional information available.

***** Section 7 - Handling and Storage *******Handling Procedures**

Avoid getting this material into contact with your skin and eyes.

Storage Procedures

Store in a cool, dry, well-ventilated area.

***** Section 8 - Exposure Controls / Personal Protection *******Exposure Guidelines****A: General Product Information**

Keep formation of airborne dusts to a minimum.

Material Safety Data Sheet

Material Name: TALC

ID: MSDS-TALC

B: Component Exposure Limits**Talc (14807-96-6)**

ACGIH: 2 mg/m3 TWA (respirable fraction, particulate matter containing no asbestos and <1% crystalline silica)
OSHA: 2 mg/m3 TWA (respirable dust, less than 1% crystalline silica)
NIOSH: 2 mg/m3 TWA (respirable dust, containing no asbestos and less than 1% quartz)

Quartz (14808-60-7)

ACGIH: 0.025 mg/m3 TWA (respirable fraction)
OSHA: 0.1 mg/m3 TWA (respirable dust)
NIOSH: 0.05 mg/m3 TWA (respirable dust)

Engineering Controls

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

PERSONAL PROTECTIVE EQUIPMENT**Personal Protective Equipment: Eyes/Face**

Wear dust goggles.

Personal Protective Equipment: Skin

Use impervious gloves.

Personal Protective Equipment: Respiratory

Use a dust mask for particulate concentrations exceeding the Occupational Exposure Limit.

Personal Protective Equipment: General

Eye wash fountain and emergency showers are recommended.

***** Section 9 - Physical & Chemical Properties *****

Appearance:	White Powder	Odor:	None
Physical State:	Solid	pH:	N/A
Vapor Pressure:	N/A	Vapor Density:	N/A
Boiling Point:	N/A	Melting Point:	Unknown
Solubility (H2O):	Insoluble	Specific Gravity:	2.8

***** Section 10 - Stability & Reactivity *******Chemical Stability**

Stable under normal conditions.

Chemical Stability: Conditions to Avoid

None.

Incompatibility

None identified.

Hazardous Decomposition

None identified.

Hazardous Polymerization

Will not occur.

***** Section 11 - Toxicological Information *******Acute and Chronic Toxicity****A: General Product Information**

No information available for the product.

B: Component Analysis - LD50/LC50

Quartz (14808-60-7)

Material Safety Data Sheet

Material Name: TALC

ID: MSDS-TALC

Oral LD50 Rat: 500 mg/kg

Carcinogenicity

A: General Product Information

Not listed by ACGIH, IARC, NIOSH, NTP OR OSHA.

B: Component Carcinogenicity

Talc (14807-96-6)

ACGIH: A4 - Not Classifiable as a Human Carcinogen (containing no asbestos fibers); A1 - Confirmed Human Carcinogen (containing asbestos fibers)

IARC: Monograph 93 [in preparation] (inhaled), Supplement 7 [1987], Monograph 42 [1987] (Group 3 (not classifiable))

Quartz (14808-60-7)

ACGIH: A2 - Suspected Human Carcinogen

NIOSH: potential occupational carcinogen

NTP: Known Human Carcinogen (Select Carcinogen)

IARC: Monograph 68 [1997] (listed under Crystalline silica inhaled in the form of quartz or cristobalite from occupational sources) (Group 1 (carcinogenic to humans))

*** Section 12 - Ecological Information ***

Ecotoxicity

A: General Product Information

This material is not expected to be harmful to aquatic life.

B: Component Analysis - Ecotoxicity - Aquatic Toxicity

Talc (14807-96-6)

96 Hr LC50 Brachydanio rerio: >100 g/L [semi-static]

Environmental Fate

This material shows no bioaccumulation or food chain concentration toxicity potential.

*** Section 13 - Disposal Considerations ***

US EPA Waste Number & Descriptions

A: General Product Information

No components are identified as hazardous wastes.

B: Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components.

Disposal Instructions

If this material becomes a waste it does not meet the criteria of a hazardous waste as defined by USEPA RCRA regulations. More stringent state or local regulations may apply. Combining this material with another may alter this classification.

*** Section 14 - Transport Information ***

US DOT Information

Shipping Name: None necessary.**Additional Info.:** None.

International Transportation Regulations

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

Material Safety Data Sheet

Material Name: TALC

ID: MSDS-TALC

***** Section 15 - Regulatory Information *****

US Federal Regulations

A: General Product Information

TSCA - All naturally occurring components of this product are automatically included in the USEPA TSCA Inventory List per 40 CFR 710.4 (b). All other components are on the USEPA TSCA Inventory List.

FDA - 1. Generally acceptable for use in vanilla powder and vanilla-vanillan powder under food standards 21 CFR 169.179 and 169.182. 2. Generally Recognized As Safe as an anticaking agent in table salt up to 2% (21 CFR 182.2437). 3. Generally approved for use as a pigment or colorant under 21 CFR 175.300, 175.380, 175.390, 176.170, 177.1210, 177.1350, and 177.1460. 4. Generally approved for use as a colorant in polymers (21 CFR 178.3297). Generally approved for use as a colorant only as components of paper and paperboard in contact with aqueous fatty foods (21 CFR 176.170).

B: Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

Acute Health: Yes **Chronic Health:** Yes **Fire:** No **Pressure:** No **Reactive:** No

State Regulations

A: General Product Information

Other state regulations may apply. Check individual state requirements.

B: Component Analysis - State

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	FL	MA	MN	NJ	PA	MI
Talc	14807-96-6	Yes	No	Yes	Yes	Yes	Yes	No
Quartz	14808-60-7	No	No	Yes	Yes	Yes	Yes	No

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause cancer.

Other Regulations

A: General Product Information

Canadian WHMIS Classification: Class D, Division 2, Subdivision A

B: Component Analysis - Inventory

Component	CAS #	TSCA	DSL	NDSL	EINECS	AUST	PHIL.	MITI	KOREA	ELINCS	CHINA
Talc	14807-96-6	Yes	Yes	No	Yes	Yes	Yes	No	Yes	Yes	Yes
Chlorite-group minerals	1318-59-8	No	No	No	Yes	No	Yes	No	Yes	No	Yes
Quartz	14808-60-7	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	No	Yes

C: Component Analysis - WHMIS IDL

Component	CAS	Present
Quartz	14808-60-7	Yes

Material Safety Data Sheet

Material Name: TALC

ID: MSDS-TALC

*** Section 16 - Other Information ***

Other Information

Disclaimer: Neither CIMBAR Performance Minerals MV, LLC, nor any of its affiliates ("CPM") shall be responsible for the use of information, product, method, or apparatus herein presented ("Information"), and you must make your own determination as to its suitability and completeness for your own use, for the protection of the environment, and for health and safety purposes. You assume the entire risk of relying on this information. In no event shall CPM be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information. By providing this information, CPM neither can nor intends to control the method or manner by which you use, handle, store, or transport CPM products. Nothing herein shall be construed as a recommendation or license to use any Information that conflicts with any patent, trademark or copyright. Material Safety Data Sheets providing safety precautions that should be observed in handling and storing CPM products are available upon request. You should obtain and review the available material safety information before handling any of these products.

CPM MAKES NO PRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE REGARDING THIS INFORMATION, AND NOTHING HEREIN WAIVES ANY CONDITIONS OF SALE. This information could include technical inaccuracies or typographical errors. Changes are periodically added to the information herein; these changes will be incorporated in revisions of the information. CPM may make improvements and/or changes in the product(s) described in this information at any given time.

Key/Legend

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; DOT = Department of Transportation; RCRA = Resource Conservation and Recovery Act

This is the end of MSDS-TALC